

ELEVADORES DE CARGA CON CUARTO DE MÁQUINAS

Load (kg)	Speed (m/s)	Car dimension (width × depth × height)	Door dimension (width × height)	Hoistway dimension (width × depth)	Overhead height	Pit depth
2000	0.5	1800 × 2200 × 2100 (front opening)	25 1500 × 2100	2800 × 2700	3950	1700
	1					
2000	0.5	1800 × 2200 × 2100 (opposite door)	25 1500 × 2100	2800 × 2912	3950	1700
	1					
3000	0.5	2200 × 2500 × 2100 (front opening)	400 1800 × 2100	3400 × 3000	3950	1650
	1					
3000	0.5	2200 × 2500 × 2100 (opposite door)	400 1800 × 2100	3400 × 3212	3950	1650
	1					
5000	0.25	2500 × 3500 × 2300 (front opening)	400 2500 × 2300	4050 × 3900	4250	1750
	0.5					
5000	0.25	2500 × 3500 × 2300 (opposite door)	400 2500 × 2300	4050 × 4012	4250	1750
	0.5					

ELEVADORES DE CARGA SIN CUARTO DE MÁQUINAS

Load (kg)	Speed (m/s)	Car dimension (width x depth x height)	Door dimension (width x height)	Hoistway dimension (width x depth)	Overhead height	Pit depth
2000	0.5	1800 x 2200 x 2100 (front opening)	25 1500 x 2100	3050 x 2700	4500	1700
	1				4500	1700
2000	0.5	1800 x 2200 x 2100 (opposite door)	25 1500 x 2100	3050 x 2912	4500	1700
	1				4500	1700
3000	0.5	2200 x 2500 x 2100 (front opening)	400 1800 x 2100	3500 x 3000	4600	1700
	1				4600	1700
3000	0.5	2200 x 2500 x 2100 (opposite door)	400 1800 x 2100	3500 x 3212	4600	1700
	1				4600	1700
4000	0.5	2200 x 3300 x 2300 (front opening)	400 2200 x 2300	3850 x 3700	4950	1700
	1				4950	1700
4000	0.5	2200 x 3300 x 2300 (opposite door)	400 2200 x 2300	3850 x 3812	4950	1700
5000	0.5	2500 x 3500 x 2300 (front opening)	400 2500 x 2300	4200 x 3900	4950	1700
5000	0.5	2500 x 3500 x 2300 (opposite door)	400 2500 x 2300	4200 x 4012	4950	1700

ELEVADORES CAMILLEROS

Load (kg)	Speed (m/s)	Car dimension (width × depth × height)	Door dimension (width × height)	Hoistway dimension (width × depth)	Overhead height	Pit depth
1600	1	1400 × 2400 × 2300	C 0 1100 × 2100	2450 × 2900	3900	1350
	1.5				4050	1450
	1.6				4050	1450
	1.75				4150	1550
	2				4200	1550
	2.5				4450	1800
1600	1	1400 × 2400 × 2300	25 1200 × 2100	2400 × 2900	3900	1350
	1.5				4050	1450
	1.6				4050	1450
	1.75				4150	1550
	2				4200	1550
	2.5				4450	1800
1600	1	1400 × 2400 × 2300	25 1300 × 2100	2400 × 2900	3900	1350
	1.5				4050	1450
	1.6				4050	1450
	1.75				4150	1550
	2				4200	1550
	2.5				4450	1800
1800	1	1500 × 2500 × 2300	25 1300 × 2100	2500 × 3100	4150	1250
	1.5				4250	1350
	1.6				4250	1350
	1.75				4350	1400
	2				4450	1500
	2.5				4750	1850
1800	1	1500 × 2500 × 2300	25 1500 × 2100	2800 × 3100	4150	1250
	1.5				4250	1350
	1.6				4250	1350
	1.75				4350	1400
	2				4450	1500
	2.5				4750	1850
2000	1	1500 × 2700 × 2300	25 1300 × 2100	2500 × 3300	4150	1250
	1.5				4250	1350
	1.6				4250	1350
	1.75				4350	1400
	2				4450	1500
	2.5				4750	1850
2000	1	1500 × 2700 × 2300	25 1500 × 2100	2850 × 3300	4150	1250
	1.5				4250	1350
	1.6				4250	1350
	1.75				4350	1400
	2				4450	1500
	2.5				4750	1850